

Stand Up Device with Tilt



REAC Stand Up Device with Tilt is a standing support system designed to fit onto common wheelchair chassis and can be customized for different requirements.

This stand up device with tilt helps users from sitting to standing and lying positions. It also enables the user to tilt, anterior tilt and lift. To give the user the best ergonomic movement patterns the system use compensating shear reduction.

Stand up device with tilt

Standard features

Load capacity 160kg Weight 38kg

Tilt angle 45 degrees

seat, backrest, leg rest and tilt

Duty cycle 10%, max 2 min at continuous use followed by an 18 min rest

Connection Cable 0,5m 2x0,75mm² (stripped ends)

Motor 24VDC

Actuators 4

Color Black powder coated steel RAL9005 (gloss 7-8%)

Options

Top and bottom frame Customized Connection Customized

Feedback and switches Additional limit switches on seat and leg rest for extra safety,

customizations, or for drive with max speed.

DigPot feedback (digital feedback)


Linear potentiometer feedback (analogue)


Positions Lift 200 mm, impact back- and leg rest

Stand up device with tilt


Dimensions


Seating position







Stand up position







Lie down position





Tilt position





Stand up device with tilt

© REAC, May 2017, Issue 1.0

REAC is continuously developing our products and can make changes without prior notice. Therefore we can't guarantee that the information stated on our webpage or in our written material always is up to date, nor can we take responsibility for any misinterpretation of our written context. Technical specification might change due to load and external circumstances. REAC products shall be tested in its intended application before use.

REAC AB Forsbrogatan 4 662 34 Åmål, Sweden REAC Poland Sp. z o.o Ul. Sulejowska 45 97-300 Piotrków Trybunalski, Poland www.reac.se E-mail: info@reac.se Phone: +46 532 78 50 00