

## Tilt system | standard



REAC Tilt base is a very compact and powerful tilt, can be customized to fit your application. Clever engineering allows tilt up to 50° with 200 kg load, still maintaining an 76 mm overall build-in height. It has ideal specifications for electrical wheelchairs as well as other suitable applications.

The standard configuration includes easy adaptable top- and bottom frames. The motion is powered by a Reac actuator which can be controlled by any Reac control device as well as the market standard controllers. Tilt movement includes standard built-in actuator limit switch and optional inhibit switch for end limit detection and optional analogue positioning feedback.

We offer to customize to match your needs, please contact our sales department in case of any questions.

<b>Standard features</b>	TS0009
Load capacity	200kg
Min install height	76mm
Tilting angle	0° - 50°
Weight	13kg
Feedback & switches	Limit switch in actuator
Motor	24VDC
Actuator	RE5001

### Options


Top and bottom frame	Customized
Feedback and switches	Inhibit switch, min and max linear position External limit switches Linear potentiometer
Motor	12VDC



## Tilt system

### Dimensions

#### Standard Tilt system



© REAC, August 2023, Issue 3.2

REAC is continuously developing our products and can make changes without prior notice. Therefore we can't guarantee that the information stated on our webpage or in our written material always is up to date, nor can we take responsibility for any misinterpretation of our written context. Technical specification might change due to load and external circumstances. REAC products shall be tested in its intended application before use.

REAC AB  
J A Wettergrens gata 7  
421 30 Västra Frölunda, Sweden

REAC Poland Sp. z o.o  
Ul. Sulejowska 45  
97-300 Piotrków Trybunalski, Poland

www.reac-group.com  
E-mail: info@group-com  
Phone: +46 31 350 99 00